

<b>Universe</b>	Professional
<b>Type</b>	Verticality
<b>Category</b>	Harnesses
<b>Subcategory</b>	Harnesses for fall arrest, work positioning and suspension



## AVAO® BOD FAST European version

The AVAO BOD FAST fall arrest, work positioning and suspension harness is designed for greater comfort in all situations. The X-shaped dorsal construction wraps to reduce pressure points during prolonged suspension. The harness also facilitates carrying and organizing work tools, with multiple equipment loops and retainers for attaching CARITool tool holders and TOOLBAG tool-holder pouches. The AVAO BOD FAST harness has a specific construction that allows the user to hang from the dorsal attachment point for a longer time in case of a fall. The harness is fastened by a SCREW-LOCK locking carabiner and is certified to European and Russian standards. AVAO BOD FAST features leg loops with FAST automatic buckles.

V3 10/10/2016  
1 / 3

---

**Short Description** Comfortable harness for fall arrest, work positioning and suspension

---

**Selling Points**

- Designed for comfort in any situation:
  - X-shaped dorsal construction wraps to reduce pressure points during prolonged suspension
  - semi-rigid, wide waistbelt and leg loops for excellent support; sculpted and lined with breathable perforated foam for comfort during suspension
  - foam shoulder straps are widely spaced to reduce neck chafing; when the waistbelt is loaded, they help distribute this load over the shoulders
- Practical adjustment:
  - waistbelt and shoulder straps equipped with self-locking DoubleBack buckles for quick and easy adjustment
  - leg loops equipped with FAST buckles for quick and easy opening and fastening without the need to readjust them, even while wearing gloves
  - fold-away side attachment points prevent accidental snagging
- Facilitates carrying and organization of tools:
  - six pre-shaped equipment loops with protective sheath
  - four CARITool tool holder retainers
  - two slots for TOOLBAG tool pouch
- Less traumatizing post-fall position:
  - in case of a fall on the dorsal attachment point, the load is distributed over the leg loops, allowing the user to remain suspended longer while awaiting rescue

---

**Specification**

- Ventral attachment point: attachment for a descender or a positioning lanyard for use in single mode
  - Lateral attachment points: attachment for a positioning lanyard for use in double mode
  - Sternal attachment point: fall arrest system attachment
  - Dorsal attachment point: fall arrest system attachment
  - Rear attachment point on the waistbelt: restraint lanyard attachment
  - Certification(s): CE EN 361, CE EN 358, CE EN 813, EAC
  - Material(s): nylon, polyester, aluminum, steel
-

**Specifications by reference**

<b>Reference(s)</b>	<b>C71AFA 0</b>	<b>C71AFA 1</b>	<b>C71AFA 2</b>
Color(s)	black/yellow	black/yellow	black/yellow
Size	0	1	2
Waist belt	60-90 cm	70-110 cm	80-130 cm
Leg loops	45-65 cm	45-65 cm	60-75 cm
Stature	160-180 cm	165-185 cm	175-200 cm
Weight	2145 g	2190 g	2270 g
Made in	RO	RO	RO
Guarantee	3 years	3 years	3 years
Packing	1	1	1
Case quantity	3	3	3
EAN	3342540099234	3342540093836	3342540093843