

Universe	Professional
Type	Verticality
Category	Lanyards and energy absorbers
Subcategory	Adjustable lanyards for work positioning



GRILLON HOOK

The GRILLON HOOK adjustable lanyard is used to make work positioning systems, to complement a fall-arrest system. Its length can be very easily and precisely adjusted as necessary for comfortable positioning at the work station. Its HOOK connector is ideal for using the lanyard in double mode on the harness side attachment points.



Lanyard length is immediately identified by a color-coded label at the connector end.

V4 10/10/2016
1 / 3

Short Description Adjustable work positioning lanyard with HOOK connector

- Selling Points**
- Lanyard with fine adjustment system for precise work positioning
 - Used in double mode on the harness side attachment points to distribute the weight on the belt (user has weight on his feet): length is adjusted by pressing on the pivoting cam
 - May be used in single mode on the harness ventral attachment point to distribute weight between the waistbelt and the leg loops (user is suspended): length is adjusted by operating the handle while holding the free end of the lanyard
 - Removable protective sheath protects the rope from abrasive contact and enhances rope glide. The protection can be removed for single mode use, to bring the user closer to the anchor
 - Available in four lengths: 2, 3, 4 and 5 m

Specification • Certification(s): CE EN 358

Specifications by reference

Reference(s)	L52H 002	L52H 003	L52H 004	L52H 005
Length	2 m	3 m	4 m	5 m
Weight	625 g	735 g	815 g	895 g
Made in	FR	FR	FR	FR
Guarantee	3 years	3 years	3 years	3 years
Packing	1	1	1	1
Case quantity	10	9	6	6
EAN	3342540087491	3342540087514	3342540087545	3342540087569

Related product(s) AVAO® BOD European version
 AVAO® BOD international version
 ASAP®
 ABSORBICA-I
 VERTEX® BEST